

Данни за артикула: BK080004--

Табло апартаментно за вграждане с прозрачна врата 1 ред, 18М

H=230 W=391 D=106mm, protection class 2, ABS, halogen free, RAL 9003



SCHRACK-Info

- Flush-mounted domestic consumer unit enclosures in ABS with transparent plastic doors
- Lock: push-button, a small cylinder can be installed
- Includes PE and N terminals
- Protection class II
- Halogen free according to RoHS
- Rated voltage 400VAC / In=63A
- Ambient temperature: -25° to +60°C
- Glow wire test: 650°C
- Recess depth: 68-70mm
- Degree of protection: IP40, Impact resistance: IK08
- RAL9010 pure white



Технически данни

Нето ширина (mm)	391,00
------------------	--------

Технически данни - продължение

Нето височина (mm)	230,00
Дълбочина (mm)	106,00
Нето тегло (kg)	1,21
EAN	9004840590579
Разсейвана мощност (W)	-22,00
Мин. околна температура (°C)	-25
Макс. околна температура (°C)	60
Материал на вратата	прозрачна пластмаса
Безхалогенен	Yes
Версия	скрит монтаж с врата
Редове	1
Брой модули на ред	18
Степен на защита - IP	IP40
Цвят	RAL 9010 (Pure white)

Таблица с артикули

Описание	Артикулен No.
Табло апартаментно за вграждане с прозрачна врата 1 ред, 18M H=230 W=391 D=106mm, protection class 2, ABS, halogen free, RAL 9003	BK080004
Акcesoари	
Ключалка 2233, метална, за табла TOPO, BK0800 + BK0801 metal, 2x keys included	BK080096