





Данни за артикула: HSELS085FG

FO Пач панел, 8 влакна, FC, 50/125µm OM2, плъзгащ, 19", 1U

RAL7035, sliding, pigtails inserted and prepared ready for splicing, PREMIUM



SCHRACK-Info

FO splice box extendable with quick release fastener and equipped with Grade B pigtails for splicing FO cables. The pull-out depth of 20 cm ensures easy access to the couplings. Furthermore the box can be set back by 40 mm. A possibility for the sloping input of section cables is integrated.

Properties Housing:

- 19", 1 U installation, extendable
- incl. Depth adjustment
- front panel and side parts powder-coated
- colour: grey, RAL7035
- Lid metallic glossy
- Central screw bolt for fixing up to 4 splice cassettes
- Box can be tilted downwards when open

Standards:

50173-1, EN 61300-3-6, EN 61300-3-51

Технически данни

Нето ширина (mm)	482,50
Нето височина (mm)	43,60
Дълбочина (mm)	211,50
Нето тегло (kg)	2,70
Цвят	RAL 7035 (Light grey)
Мин. околна температура (°C)	-10
Макс. околна температура (°C)	70
Оптика	50/125 OM2 Multimode
Оптичен брояч	8
куплунг	FC

Dimension drawing




Таблица с артикули

Описание	Артикулен No.
FO Пач панел, 8 влакна, FC, 50/125µm OM2, плъзгащ, 19", 1U RAL7035, sliding, pigtails inserted and prepared ready for splicing, PREMIUM	HSELS085FG
Акcesoари	
FO свиваем сплайс протектор 60mm	HELSP00011
FO свиваем сплайс протектор, 40mm	HELSP00010
FO Пач кабел Duplex, FC/FC, 50/125µm OM2, оранжев, 2.0m	HLP25FF02F
FO Пач кабел Duplex, FC/FC, 50/125µm OM2, оранжев, 5.0m	HLP25FF05F
FO Пач кабел Duplex, SC/FC, 50/125µm OM2, оранжев, 2.0m	HLP25CF02F
FO Пач кабел Duplex, SC/FC, 50/125µm OM2, оранжев, 5.0m	HLP25CF05F
FO Пач кабел Duplex, ST/FC, 50/125µm OM2, оранжев, 2.0m	HLP25TF02F
FO Пач кабел Duplex, LC/FC, 50/125µm OM2, оранжев, 2.0m	HLP25LF02F
FO Пач кабел Duplex, LC/FC, 50/125µm OM2, оранжев, 5.0m	HLP25LF05F