

Данни за артикула: HSELS12SLL

FO Splicebox, 12 Fibers, LC, 50/ 125µm OM5, 19", 1U, Class B

acc. to IEC 61753-1, RAL7035, sliding, Pigtails inserted and prepared ready for splicing, PREMIUM



SCHRACK-Info

FO splice box extendable with quick release fastener and equipped with Grade B pigtails for splicing FO cables. The pull-out depth of 20 cm ensures easy access to the couplings. Furthermore the box can be set back by 40 mm. A possibility for the sloping input of section cables is integrated.

Properties Housing:

- 19", 1U installation, extendable
- incl. Depth adjustment
- front panel and side parts powder-coated
- colour: grey, RAL7035
- Lid metallic glossy
- Central screw bolt for fixing up to 4 splice cassettes
- Box can be tilted downwards when open

Standards:

50173-1, EN 61300-3-6, EN 61300-3-61

Технически данни

Технически данни - продължение

Нето широчина (mm)	482,50
Нето височина (mm)	43,60
Дълбочина (mm)	211,50
Нето тегло (kg)	2,70
Оптика	50/125 OM5 Multimode
Цвят	RAL 7035 (Light grey)
Мин. околна температура (°C)	-10
Макс. околна температура (°C)	70
Оптичен брояч	12
куплунг	LC

Таблица с артикули

Описание	Артикулен No.
FO Splicebox, 12 Fibers, LC, 50/125µm OM5, 19", 1U, Class B acc. to IEC 61753-1, RAL7035, sliding, Pigtails inserted and prepared ready for splicing, PREMIUM	HSELS12SLL
Акcesoари	
FO свиваем сплайс протектор 60mm	HELSP00011
FO свиваем сплайс протектор, 40mm	HELSP00010
Fiber Optics Cleaning Tool for LC and MU Suitable for UPC and APC connectors. More than 1,000 cleaning cycles.	HSELSZT001
FO Power meter with integrated laser light source (VFL) and RJ45-copper cable test. ATTENTION: This is a Laser Class 2 product. Do not stare into the beam. Always keep the cover on the VFL port when not in use. It is recommended to use laser safety glasses when working with fiber optic systems.	HSELSZT003
FO Пач кабел Duplex LC/LC, 50/125µm OM5, LS0H-3, 1.0m LS0H, lime green	HLP2SLL01F
FO Пач кабел Duplex LC/LC, 50/125µm OM5, LS0H-3, 2.0m LS0H, lime green	HLP2SLL02F
FO Пач кабел Duplex LC/LC, 50/125µm OM5, LS0H-3, 3.0m LS0H, lime green	HLP2SLL03F
FO Пач кабел Duplex LC/LC, 50/125µm OM5, LS0H-3, 5.0m LS0H, lime green	HLP2SLL05F