

Данни за артикула: HSELS249CP

FO Пач панел, 24 влакна, SC, 9/ 125µm OS2, 19", 1U, ECO

acc. to IEC 61753-1, RAL7035, sliding



SCHRACK-Info

Chassis

- Two pieces removable 19" holders. Depth adjustable up to 40mm
- Sliding tray design:
for 12 SC Duplex couplers
- Blindcovers are used to cover unused openings
- Four openings for cable-gland
- Two fittings M22
- Material: Sheet steel, powder -coated, RAL 7035
- Sheet steel thickness:
Chassis: 1,0mm
Sliding tray: 1,25mm
Frontpanel: 1,4mm
19" holder: 1,5mm

SPLICE-CASSETTES

- For shrink splice protectors
up to 12 fibres: 1 splice-cassette
up to 24 fibers: 2 splice-cassettes

STANDARDS

- EN 50173-1, EN 61300-3-6, EN 61300-3-34, IEC 61754-4 / TIA 604-3, RoHS and REACH compliant

Технически данни

Нето ширина (mm)	480,00
Нето височина (mm)	44,00
Дълбочина (mm)	242,00
Нето тегло (kg)	2,53
Оптика	9/125 OS2 Singlemode / G.652.D
Цвят	RAL 7035 (light grey)
Insertion loss typical (dB)	< 0,2
Return loss typical (dB)	> 50
Мин. околна температура (°C)	-10
Макс. околна температура (°C)	70
Оптичен брояч	24

Таблица с артикули

Описание	Артикулен No.
ФО Пач панел, 24 влакна, SC, 9/125µm OS2, 19", 1U, ECO acc. to IEC 61753-1, RAL7035, sliding	HSELS249CP
Акcesoари	
ФО свиваем сплайс протектор 60mm	HELSP00011
ФО свиваем сплайс протектор, 40mm	HELSP00010
Fiber Optics Cleaning Tool for SC, ST, FC and E2000 Suitable for UPC and APC connectors. More than 1,000 cleaning cycles.	HSELSZT002
FO Power meter with integrated laser light source (VFL) and RJ45-copper cable test. ATTENTION: This is a Laser Class 2 product. Do not stare into the beam. Always keep the cover on the VFL port when not in use. It is recommended to use laser safety glasses when working with fiber optic systems.	HSELSZT003
ФО Пач кабел Duplex, SC/SC, 9/125µm OS2, жълт, 2.0m LSOH, yellow	HLP29CC02F
ФО Пач кабел Duplex, SC/SC, 9/125µm OS2, жълт, 5.0m LSOH, yellow	HLP29CC05F

Таблица с артикули

Описание	Артикулен No.
Акcesoари	
FO Пач кабел Duplex, LC/SC, 9/125µm OS2, жълт, 2.0m LSOH, yellow	HLP29LC02F
FO Пач кабел Duplex, LC/SC, 9/125µm OS2, жълт, 5.0m LSOH, yellow	HLP29LC05F
FO Пач кабел Duplex, ST/SC, 9/125µm OS2, жълт, 2.0m LSOH, yellow	HLP29TC02F
FO Пач кабел Duplex, ST/SC, 9/125µm OS2, жълт, 5.0m LSOH, yellow	HLP29TC05F
FO Пач кабел Duplex, SC/FC, 9/125µm OS2, жълт, 2.0m LSOH, yellow	HLP29CF02F
FO Пач кабел Duplex, SC/FC, 9/125µm OS2, жълт, 5.0m LSOH, yellow	HLP29CF05F