





Данни за артикула: HSELS480LS

FO Пачпанел за 24 LC-Duplex couplers, 1U, черно PREMIUM



SCHRACK-Info

These spliceboxes comprise an upper enclosure section, a pull-out tray and 2 depth-adjustable 19" brackets. Pull-out trays are locked via two knurled screws for 24 LC Duplex couplers

Cable-entry:

- Four break-away style openings for M20 cable-gland
- One break-away style opening for optional available cable strain-relief (HSELSFTTDM)

Material: zinc-coated steel

Installation: 19", 1U

Dimensions WxHxD: 483x44x240mm

Color: black

Технически данни

Нето ширина (mm)	482,50
Нето височина (mm)	43,60
Дълбочина (mm)	211,50
Нето тегло (kg)	2,70
Цвят	RAL 9005 (black)
Мин. околна температура (°C)	-10
Макс. околна температура (°C)	70
Продукт	Празни кутии

Dimension drawing





Таблица с артикули

Описание	Артикулен No.
FO Пачпанел за 24 LC-Duplex couplers, 1U, черно PREMIUM	HSELS480LS
Акcesoари	
FO Splice касета, без капак и органайзер, заштракваща, бяла stackable, white, PREMIUM	HSELSZSK01
FO Splice органайзер за 6 влакна, черен, за HSELSZSK01 black, suitable for splice cassette HSELSZSK01, PREMIUM	HSELSZSK02
FO Splice капак за касета, бял, за HSELSZSK01 PREMIUM	HSELSZSK03
Държач, тип панта, син, за HSELSZSK01 PREMIUM	HSELSZSK04
FO държач за 12 броя опт. влакна с протектори, за HELSP0001x черен, suitable for splice cassette HSELSZSK01	HSELSZSK05
FO свиваем сплайс протектор 60mm	HELSP00011
Кабелен съединител M20 LVZZKVS20	HELSP00012
Щуцер IP65 M20x1.5, RAL7035 Clamping range 7 - 12mm, wrench size 24mm	M270020
Контрагайка за щуцер M20x1.5	M271020
FO капачка LC-dx/SC-Sx отвор, черна, 25 бр.	HLZPZKBX02
FO Съединител LC-Duplex, Пластмасов, ММ, сив Без фланци, сив	HMOL000111
FO съединител LC-Duplex, пластмасов, SM	HMOL000056
FO Съединител LC-Duplex, Plastic, OS2, ceramic, flange blue, CLASSIC	HSELSK09LP
FO Пигтейл LC, 50/125µm OM4, 2.0m, Easy Strip, 4pcs colored according to IEC 60304, CLASSIC	HLP04L042P
FO Пигтейл LC, 9/125µm OS2, 2.0m, Easy Strip, 4pcs colored according to IEC 60304, CLASSIC	HLP09L042P
FO Пигтейл LC, 9/125µm OS2, 2.0m, Easy Strip, 8pcs colored according to IEC 60304, CLASSIC	HLP09L082P
	HLP09L1
	22P
FO Съединител LC/APC-Duplex, Plastic, OS2, ceramic, flange green, CLASSIC	HSELSK09MP
FO Съединител LC-Duplex, Plastic, OM3, ceramic, flange aqua, CLASSIC	HSELSK03LP