

Данни за артикула: IL312312-F

Рамка с врата, за табло за вграждане - 100mm, 3A-12

1 mm powder coated sheet steel, RAL9016, H=640 W=810 D=100mm



SCHRACK-Info

- Modular designed flush-mounted frame with door
- Material: 1 mm powder coated sheet steel
- Available in sizes from 2U/12 to 3U/24 Modul-high enclosures
- When used with 3-part system wall box IL367xxx-F 100mm deep
- Standard version of door with flush plastic thumbturn operated via integrated double-bit lock
- Protection class: I
- Degree of protection: IP20C
- Impact resistance: IK08
- Color: RAL9016 (Traffic white)



Технически данни

Нето ширина (mm)	810,00
Нето височина (mm)	640,00
Дълбочина (mm)	100,00

Технически данни - продължение

Нето тегло (kg)	5,60
EAN	9004840597585
Разсейвана мощност (W)	-163,00
Мин. околна температура (°C)	-5
Макс. околна температура (°C)	40
Тип	Unterputz Flachverteiler
Цвят	RAL 9016 (Traffic White)
Широчина в модули	3
HU	12
Степен на защита - IP	IP20C
Основно описание	Рамка

Таблица с артикули

Описание	Артикулен No.
Рамка с врата, за табло за вграждане - 100mm, 3A-12 1 mm powder coated sheet steel, RAL9016, H=640 W=810 D=100mm	IL312312-F
Акcesoари	
Основа за вграждане, дълбочина 100mm, 3A-12 1 mm galvanised sheet steel, H=635 W=800 D=100mm	IL367312-F
Модулно шаси, 3A-12, ниско, 4-реда, дълбочина 100 mm Front plates sheet steel, complete	IL148812-A