

Данни за артикула: ISA05363--

Верт. резед. ARROW BLACK 3, 3P, за 185mm шинна с-ма, 630A


Версия с възможност за монтиране на TT



Технически данни

Разсейвана мощност (W)	110,00
Мин. околна температура (°C)	-25
Макс. околна температура (°C)	70
Нето широчина (mm)	100,00
Нето височина (mm)	664,00
Дълбочина (mm)	196,00
Нето тегло (kg)	5,37
Акcesoари	ISA05367--;ISA05368--;ISA05369-A;ISA05376--

Чертеж: Верт. резед. ARROW BLACK 3, 3P, за 185mm шинна с-ма, 630A



[mm]

Таблица с артикули

Описание	Тегло на медта (kg/km)	Артикулен No.
Верт. резед. ARROW BLACK 3, 3P, за 185mm шинна с-ма, 630A Версия с възможност за монтиране на TT		ISA05363
Акcesoари		
Токов трансформатор 400A ARROW BLACK 1-3, с място за TT Primary current 400A, secondary current 5A, accuracy class 1, apparent ohmic resistance 3,75VA, without certification, for ARROW BLACK inline fuses fo cuurent transformers size 1-3		ISA05367
Токов трансформатор 600A ARROW BLACK, 1-3, с място за TT Primary current 600A, secondary current 5A, accuracy class 1, apparent ohmic resistance 3,75VA, without certification, for ARROW BLACK inline fuses fo cuurent transformers size 1-3		ISA05368
Свързващ комплект за TT за ARROW BLACK, с клеми, разм. 1-3 Kit for CT wiring with terminal block, for mounting size 1-3, for installation of current transformers mounting at top side of NH-strip-type fuse-switch-disconnectors, 6pole, 2.5mm ²	0,032	ISA05369-A
Busbar terminal for holeless mounting For holeless mounting of NH fuse load switchbars ARROW BLACK sizes 1, 2, 3 on 185mm busbar systems; three pieces are required per switch		ISA05376