

Данни за артикула: IU070118--

19" Разклонител за 6 х Шуко, Арестор+чест.филтър, 1 U, RAL7035

frequencyfilter, ALU 1 U, 2m cable, RAL7035



SCHRACK-Info

Sockets:

- DIN 49 440, examined: VDE0620-1;
- 2-pole with earthing contact;
- 16A/3680W, AC250V, IP20;
- colour RAL7035, 35° turned;

Power supply:

- non rewirable, Endcaps riveted, inside wiring without euro terminal
- 2,0m H05VV-F 3G1,5mm² black with right angled plug with earthing contact

Profile:

- 1 U, ALU, anodized
- Length: 438,5mm

Plastic material:

- RAL7935, PA6, fibre glass 30%, Glow wire test up to 850°C; V1

Overvoltage protection with filter:

- SPD Typ 3, Uc 250V~, IL 16A, Ip 6,5kA
- L-PE; N-PE; L-N < 1,8kV

- Ta < 25n
- Line and frequency filter for voltage peaks up to 30MHz

Mounting brackets:

- Steel sheet
- For fixing in 4 positions each 90

Extent of delivery:

- 1x PDU
- 2x mounting brackets
- 1x instruction manual

Технически данни

Нето ширина (mm)	483,00
Нето височина (mm)	44,00
Дълбочина (mm)	44,00
Нето тегло (kg)	0,87
Мин. околна температура (°C)	5
Макс. околна температура (°C)	45
Цвят	RAL 7035 (Light grey)

Таблица с артикули

Описание	Артикулен No.
19" Разклонител за 6 x Шуко, Арестор+чест. филтър, 1U, RAL7035 frequencyfilter, ALU 1U, 2m cable, RAL7035	IU070118
Акcesoари	
PDU-държач вертикален за 800 mm широки DS и DSZ-кутии, 1U 1 PU = 2 pcs., Installation on vertical rail, Assembly material included	DSPDU010
PDU-държач вертикален за 600 и 800 mm широки DSS-кутии DST- Enclosures, 1U, 1 PU = 2 pcs. For PDUs with 19" style mounting holder. Installation in enclosure skeleton. Assembly material included	DSSPDU010
PDU-държач вертикален за 600 и 800 mm широки DSS-кутии DST- Enclosures, 2U, 1 PU = 2 pcs. For PDUs with 19" style mounting holder. Installation in enclosure skeleton. Assembly material included	DSSPDU021
Захранващ кабел - C13, черен, 1,8m	Q7130121
Захранващ кабел - C13, черен, 3m	Q7130059
Захранващ Кабел, Schuko, 90° - 5m	Q7170732
Захранващ кабел, Euro 8 - 1.8m	Q7172506
Захранващ кабел - C5 (триъгълник), черен, 1.8m	Q7172902