

Данни за артикула: IU070242-A

Системен шкаф 19" двоен, W616xH2031xD700, 42U



SCHRACK-Info

These 19"- systemracks are used when access to the equipment from all sides is necessary all the time.

Also frequently used for presentation of 19"- devices in show-rooms or on exhibitions.

The single section racks are designed for installations without heavy equipment.

The double section racks are designed for installation of heavier and larger equipment.

The in the double section racks included stabilization set increases stability of the whole rack in case of installation of slide-out devices, e.g. servers.

Installation:

- Direct on floor.
- By use of the included levelling feet in case of uneven floor.
- By use of optional castors with brake (Ordernumber: DSR00005-A).

MOUNTING OF THE FRAME

- To ensure the maximum recommended load, it is necessary to distribute the load equally. It is necessary to prevent one-side or one -point loading of the frame.
- Place the frame on a flat door and compensate an eventual small roughness with nivelation feet.

CERTIFICATE AND CONFORMITY


- This product is fully in accordance with EN 62208 ed 2:2012.

Технически данни

Нето широчина (mm)	600,00
Нето височина (mm)	2.005,00
Дълбочина (mm)	700,00
Нето тегло (kg)	38,30
Мин. околна температура (°C)	0
Макс. околна температура (°C)	40
Приложимо за HU	42U-2031mm

Таблични файлове: Системен шкаф 19" двоен, W616xH2031xD700, 42U

	A[mm]	B[mm]	D[mm]	E[mm]	Maximallast bei gleichmäßiger Verteilung[kg]	Gewicht Brutto[kg]	Gewicht Netto[kg]
IU070127-A	1340	-	600		150	24,2	19
IU070141-A	2005	-	600		150	27,7	22,4
IU070227-A	1340	664	700		150	36,9	31,4
IU070242-A	2005	664	700		150	43,8	38,3

Чертеж: Системен шкаф 19" двоен, W616xH2031xD700, 42U

Чертеж: Системен шкаф 19" двоен, W616xH2031xD700, 42U




Таблица с артикули

Описание	Артикулен No.
Системен шкаф 19" двоен, W616xH2031xD700, 42U	IU070242-A
Акcesoари	
19" Аранжиращ панел с 5 метални пръстена, 1U, RAL7035	DBC14805
19" Аранжиращ панел с 5 големи пластм.пръстена, 1U, RAL7035	DBK14805
19" Фиксирана тава D=450mm, 80kg, 1U, RAL7035, перфорирана	DFS14845-C
19" Разклонител за 9xШуко, 1U, RAL7035	IU070114
Разклонител за 19", 7 x Шуко с арестор, 1.25U, RAL7035	IU070113
2m-connector cable, RAL7035	
19" Разклонител, 9xШуко, с ключ, 1U, 2m кабел, черно, ALU	Q7070114-A
ALU Профил	

Таблица с артикули

Описание	Артикулен No.
Акcesoари	
19" Разклонител, 7xШуко, с ключ, 1 U, защита от пренапрежение 2m-кабел, черен, ALU	Q7070113-A
19" Монтажен комплект M6, 50 броя: винт, гайка, шайба	DSSRA050
19" mounting plate, 14U, sheet steel, perforated including screws and cage nuts	DMP1914
Осветителен модул LED, магнит, 230VAC, със сензор за врата автоматична функция, при отваряне на вратата, външен PSU	DTLIGHT01
Switch 24xRJ45 10/100/1000, Silent, w/o fan, internal PSU Metal-Chassis, 19"	QLGSW2457