

Данни за артикула: IUKTS6301A

Климатик 1500W, 230V, външен монтаж, Серия DTS

400V, IP55, RAL 7035



SCHRACK-Info

General:

- Cooling unit for outer mounting on the door or side (=DTS)
- Compact design for smaller enclosures or to cool hot spots
- Technical design with a standard controller
- Color: RAL 7035 (Light grey)

IUKTS6301:

- Cooling performance: 1500W
- Rated voltage: 400V
- Very high energy efficiency ratio (EER)
- Service friendly due to direct access to the PCB and the fans, thus 80 % shorter repair times
- Type of connection: Spring-type terminal included with plug
- Degree of protection IP55: Towards the enclosure
- Degree of protection IP34: Towards the surroundings

Технически данни


Нето ширина (mm)

399,00


Технически данни - продължение

Нето височина (mm)	966,00
Дълбочина (mm)	244,00
Нето тегло (kg)	45,00
Мин. околна температура (°C)	15
Макс. околна температура (°C)	55
Степен на защита - IP	IP55
Клас на защита	I
Номинално напрежение	400V-AC
Тип	климатик
мощност на охлаждане (W)	1500

Kennlinien Kühlleistung



Dimensions and Cutout IUKTI6201A



Описание	Артикулен No.
Климатик 1500W, 230V, външен монтаж, Серия DTS 400V, IP55, RAL 7035	IUKTS6301A