

Данни за артикула: KCRC8060F-

козирка за табло, с вентилатор с филтър 540m³/h, 800x600mm

made of aluminum, RAL7035, suitable for stainless steel enclosure KCIX208060 and outdoor enclosure KCOX208060




SCHRACK-Info

- **Material:** 2 mm aluminium sheet, epoxy polyester powder-coated
- **Color:** RAL7035 (Light grey)
- **Dimensions:**
 - Width: 800 mm
 - Depth: 600 mm
 - Height: 100 mm
 - Net weight: 13.90 kg
- **Filter fan:** Integrated, air flow rate 540 m³/h
- **Compatibility:** Suitable for:
 - KCIX208060 (stainless steel enclosure)
 - KCOX208060 (outdoor enclosure)
- **Mounting:** The existing roof panel must be removed. The rain canopy is then screw-mounted in its place. No modification to the enclosure required
- **Operating temperature:** -40 °C to +80 °C
- **Application:** Outdoor use, weather-protected by closed roof design with integrated ventilation
- **Delivery includes:** Outdoor rain canopy with preassembled filter fan. Delivered individually, without enclosure.

Технически данни

Нето широчина (mm)	800,00
Нето височина (mm)	100,00
Дълбочина (mm)	600,00
Нето тегло (kg)	13,90
Мин. околна температура (°C)	-40
Макс. околна температура (°C)	80
Степен на защита - IP	IP54
Материал	Алуминий
Цвят	RAL 7035 (Light grey)
Полезна охлаждателна мощност с достъп до филтър IP54 (W/K)	174
Въздушен поток, при IP54 (m ³ /h)	540

Dimensioned Drawing



Описание	Артикулен No.
козирка за табло, с вентилатор с филтър 540m ³ /h, 800x600mm made of aluminum, RAL7035, suitable for stainless steel enclosure KCIX208060 and outdoor enclosure KCOX208060	KCRC8060F