

Данни за артикула: LID14467--

Flexstrip RGBW, 17, 6w/m, 24vDC, 60LEDs/m, IP20, l=5m

LED Flexstrip, RGB 13,2W/m + WW 4,4W/m, dimmable, 5 meter roll; 08 STRIPS & PROFILES



Информация за продукта

RGBW flexible LED light strip, with SMD5050 LEDs, 60LEDs/meter, 19,2W/meter. Supplied in 5 meters roll, with white PCB and double adhesive tape for a better fixing. Can be cut every 10cm (6-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Технически данни

Цвят на светлината	топло бяла RGB
Цветна температура (K)	RGB+3000
Димируем	Depending on driver да
Клас на защита	III
Степен на защита - IP	IP20
Тип осветително тяло	LED ленти
Фасунга	LED Platine
Ъгъл на излъчване (°)	120
Контролер	Needs to be ordered separately

Технически данни - продължение

Оперативно напрежение DC (V)	24
Монтаж	surface mounting ceiling surface mounting wall floor mounting
Дължина (mm)	5000
Широчина (mm)	12
Височина (mm)	3
Акcesoари	LID13862--
ДхШхВ mm	5000x12x3
Нето дължина (mm)	5.000,00
Нето широчина (mm)	12,00
Нето височина (mm)	3,00
Нето тегло (kg)	0,24

Таблица с артикули

Описание	Артикулен No.
Flexstrip RGBW, 17, 6w/m, 24vDC, 60LEDs/m, IP20, l=5m	LID14467
LED Flexstrip, RGB 13,2W/m + WW 4,4W/m, dimmable, 5 meter roll; 08 STRIPS & PROFILES	
Акcesoари	
7908/AL, алуминий триъгълен профил 2m	LID13862
Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835, 7870, 7875, 7820W, 7830W, 7831W, 7835W; 08 STRIPS & PROFILES	