

Данни за артикула: NLK9MUS03S

Self-cont. luminaire K9 black vd:20m

Autotest LED 3h 230V AC

Universal mounting, black, setting options 1h/ 2h/ 3h/ 8h for battery powered backup time, dimmable in mains mode, with LiFePO4 battery




Технически данни

Нето широчина (mm)	200,00
Нето височина (mm)	117,00
Дълбочина (mm)	38,00
Нето тегло (kg)	0,34
Тип осветително тяло	авариен осветител
Автономност - централна бат.	Self contained luminaire
Функция	саморегулиращ се
Версия	пластмасов осветител
Дизайн	K9
Безхалогенен	Housing made of halogen-free plastic
Цвят	Черно
Pictogram	Slide-in pictogram set (arrow left, right, bottom, top and white foil for single side use) included in accordance with ISO 7010


Технически данни - продължение

Визуален обхват (m)	20
Осветеност	LED (3W)
MPP диапазон на напрежение (V)	230V AC 50Hz ±20%
Батерия (V/Ah)	3,2/0,6 LiFePO4
Степен на защита - IP	IP40
Impact Resistance	IK03
Монтаж	surface mounting ceiling универсален surface mounting wall recessed mounting ceiling optional
Мин. околна температура (°C)	-5
Макс. околна температура (°C)	40
AA Class E 8101	AA4
Производител	Schrack

NLK9MUS03S Dimensions (mm) wall and ceiling surface mounting



NLK9MUS03S Dimensions (mm) flag mounting and ceiling recessed mounting (with NLK9E)



NLK9MUS03S Dimensions (mm) Cord suspension (with NLK9S) or pendulum mounting (NLK1P105)




Таблица с артикули

Описание	Артикулен No.
Self-cont. luminaire K9 black vd:20m Autotest LED 3h 230V AC	
Universal mounting, black, setting options 1h/ 2h/ 3h/ 8h for battery powered backup time, dimmable in mains mode, with LiFePO4 battery	NLK9MUS03S
Акcesoари	
Комплект пиктограми за евак. осветители Design K9, дист. 20m	
For vertical mounting, according to ISO 7010 (arrows left, right, up, down), viewing distance 20m	NLK9MPV
Recessed frame black for emergency luminaires design K9	NLK9ES
Окачване 1000mm, 1 компл., за осветители Design K9	NLK9S
Accu LiFePO4 3.2V 0.6Ah	
LiFePO4 - Lithium-iron phoshpate battery , UN3480 - UN 3480 : Lithium-Ion batteries	NLAKKU320A