

Данни за артикула: NLKWIC423W

Emerg.lum. KWI clear WirelessControl 4x1W ERT-LED 3h 230V

With exchangeable lenses, corridor lenses in scope of delivery included, LiFePO₄, ceiling surface mounting, security luminaire with transparent cover for illumination of escape routes, viewing distance: 16m, IP65, IK06, protection class II, radio switchable, dimmable



Технически данни

Нето дължина (mm)	390,00
Нето ширина (mm)	93,00
Нето височина (mm)	99,00
Нето тегло (kg)	0,70
Тип осветително тяло	авариен осветител
Автономност - централна бат.	Self contained luminaire
Функция	WirelessControl Professional
Версия	пластмасов осветител
Дизайн	KWI
Безхалогенен	Housing made of halogen-free plastic
Цвят	Бяло
Визуален обхват (m)	16

Технически данни - продължение

Време на съхранение (h)	3
Illuminant	ERT-LED (4W)
Lumen	430
MPP диапазон на напрежение (V)	230V AC 50Hz $\pm 20\%$
Батерия (V/Ah)	2x 3,2V/3,3Ah LiFePO4
Степен на защита - IP	IP65
Монтаж	surface mounting ceiling
Мин. околна температура ($^{\circ}\text{C}$)	-5
Макс. околна температура ($^{\circ}\text{C}$)	40
AA Class E 8101	AA4
Производител	Schrack

Dimensions (mm)




Таблица с артикули

Описание	Артикулен No.
Emerg.lum. KWI clear WirelessControl 4x1W ERT-LED 3h 230V With exchangeable lenses, corridor lenses in scope of delivery included, LiFePO4, ceiling surface mounting, security luminaire with transparent cover for illumination of escape routes, viewing distance: 16m, IP65, IK06, protection class II, radio switchable, dimmable	NLKWIC423W
Акcesoари	
Сферична защитна кошница за KW	NLBKW
Комплект пиктограми за NLKW/ стрелки ляво, дясно, надолу	NLKW0103
Пендел к-т 500mm бял кабел	NL2PW
скоби за монтаж на стена,бяло за серии:KB,KX,KW,KCD,KE,GX,RX	NLAWX001
Accu 3,2V 3,0Ah LiFePO4 f.self contained LED осв.KSC,KMB ZAW LiFePO4 - Lithium-iron phoshpate battery , UN3480 - UN 3480 : Lithium-Ion batteries, compatible to accu 3,2V 3,3Ah	NLAKKU3230
4 LED сменяеми лещи: Елипсовидно разпределение за коридор Suitable for emergency luminaires with changeable lens system	NLLSYSF4
4 LED сменяеми лещи: Кръгово разпределение на светлината Suitable for emergency luminaires with changeable lens system	NLLSYSR4
4 LED сменяеми лещи: за осветяване във високи стаи Suitable for emergency luminaires with changeable lens system	NLLSYSS4
4 LED сменяеми лещи: Асиметрично разпределение на светл. For illumination of safety equipment (e.g. first aid boxes, fire extinguishers, etc.), Suitable for emergency luminaires with changeable lens system	NLLSYSB4