

Данни за артикула: QLIES0500-

Суич за DIN-релса, 4xRJ45 + 1xRJ45, без захранване

4 x 10/100Mbps, 1 x 100Mbps, 1 x клема, захранващо напрежение 12VDC-48VDC



SCHRACK-Info

Overview

QLIES0500- Industry Ethernet Switch provides 5 ports of 10/100Base-TX Ethernet to enable high speed networking at mission-critical environment. This device is designed to be mounted on an industry standard DIN-rail, plus the clearly visible status LEDs provide simple monitoring of port link activity.

Cost Effective

This device operates under -10°C to 60°C (-14 to 140 Fahrenheit) temperature that offers optimal suitability for industrial applications at low cost while maintaining all components built to withstand harsh environment applications without compromise reliability without compromise reliability and stability.

Safety

With UL60950 standard complied that gives basic protection against electric shock, fire spread from within, ignition and burning, current circuit hazardous under normal and fault condition. As well as set of compliances to meet many EMC, isolation, vibration and shock standards.

Plug & Play

This unmanaged Industrial Ethernet Switch is designed for the demanding industrial environments at business in need of instant connectivity with no setup or configure required, truly plug and play.

Key-Features

- Provides flexibility of 5 x 10/100Base-TX ports

- -10°C to 60°C (-14°F to 140°F) and is tested for functional operation @-20°C to 70°C (-4°F to 158°F)
- 10/100Mbps Full-/Half-duplex, Auto-Negotiation, Auto-MDI/MDIX
- Supports 12 to 48VDC Power inputs
- Complies with IEC61000-6-2 EMC Generic standard immunity for Industrial environment

Order-Information

- QLIES0500- 5 FE Unmanaged Switch -10 to 60, DIN-rail

Package Contents

- QLIES0500-
- Quick Installation Guide

Технически данни

Нето ширина (mm)	26,00
Нето височина (mm)	110,00
Дълбочина (mm)	70,00
EAN	4015867181591
Мин. околна температура (°C)	0
Макс. околна температура (°C)	70
Продукт	Етернет комутатори(суичове)
Скорост	10/100Mbps
портове	5
Монтаж	DIN релса

Таблица с артикули

Описание	Артикулен No.
Акcesoари	
Захранване индустриален тип, 24VDC, 60W, за DIN-релса	QLPOW2420
Захранване индустриален тип, 24VDC, 75W, за DIN-релса	QLPOW2430
Захранване индустриален тип, 24VDC, 120W, за DIN-релса	QLPOW2440
Захранване индустриален тип, 48VDC, 120W, за DIN-релса PoE Ready	QLPOW4840
Захранване индустриален тип, 48VDC, 240W, за DIN-релса PoE Ready	QLPOW4850
Захранване индустриален тип, 48VDC, 480W, за DIN-релса PoE Ready	QLPOW4860
Захранване, 110V-240VAC 50/60Hz ; 48VDC/1.35A, 64,8W	QLPOW4801